



City of Ely Fire Department

1780 Great Basin Blvd.
Ely, Nevada 89301

Business Phone: (775) 289 6633
Fax: (775) 289 3122

April 6, 2022

To: Mayor
City Council

Fire Department Report: March 1st. thru 31st. 2022

Total Calls: 134

City- 111

County-23

- Baker- 1
- Lackawana-4
- Lund-2
- McGill-6
- Ruth-5
- WPCFPD-4
- Cherry Creek-1

BLS-25

ALS-50

Paramedic-See attached report

Life Flights-35

Fire/other-24

Billing: All ambulance and motor vehicle Billing is up to date.

Equipment Status: All apparatus is available.

Staff Changes:

6-Career

25-Volunteers

Trainings: EMS & Fire trainings 1 fire, 6 EMS trainings.

Equipment Maintenance: All new extrication Equipment is completely mounted in Rescue 1 and Vehicle stabilization struts have been mounted in Rescue 1.

Patrick Stork
Fire Chief

4/8/22, 2:21 PM

Log 10 Ad Hoc Reporting

Incident Type Details	2022-03-01	Total
3111 - Jail Check	11	11
311 - Medical assist, assist EMS crew	34	34
321 - EMS call, excluding vehicle accident with injury	74	74
554 - Assist invalid	3	3
322 - Motor vehicle accident with injuries	3	3
510 - Person in distress, other	3	3
745 - Alarm system activation, no fire - unintentional	1	1
611 - Dispatched & canceled en route	3	3
411 - Gasoline or other flammable liquid spill	1	1
550 - Public service assistance, other	1	1
Total	134	134

Incident Data between 2022-03-01

and 2022-03-31

Aid Given Or Received	Incident Number	Alarm Date	Aid Given Or Received Code	Aided Agency Name	Aiding Agency Name	Report Writer Last Name
Automatic aid given						
	220303-0345-ELYEMS	3/3/2022 4:44:22 AM	4	Lund VFD		BATH
	220319-1545-ELYEMS	3/19/2022 2:45:59 PM	4	Lackawanna		PENA
	220318-1716-ELYEMS	3/18/2022 4:54:37 PM	4	White Pine County Fire		ROBERTSON
	220316-0001-ELYEMS	3/15/2022 11:28:20 PM	4	White Pine County Fire		BATH
	220319-1149-ELYEMS	3/19/2022 11:04:15 AM	4	Ruth VFD		PENA
	220330-132648-ELYEMS	3/30/2022 6:33:01 PM	4	Lackawanna		ROBERTSON
	220302-1142-ELYEMS	3/2/2022 11:10:14 AM	4	McGill VFD		ROBERTSON
	220329-1820-ELYEMS	3/29/2022 5:27:00 PM	4	McGill VFD		ROBERTSON
	220322-941630-ELYEMS	3/22/2022 2:08:05 PM	4	Cherry Creek / Steptoe Valley VFD		STARK
	220314-0401-ELYEMS	3/14/2022 3:23:43 AM	4	Ruth VFD		ROBERTSON
	220309-005354-ELYEMS	3/9/2022 11:55:58 PM	4	Lackawanna		ROBERTSON
	220302-1337-ELYEMS	3/2/2022 1:17:04 PM	4	Ruth VFD		ROBERTSON
	220323-101719-ELYEMS	4/1/2022 7:11:00 PM	4	Lund VFD		GOLLA
	220307-2014-ELYEMS	3/7/2022 7:18:16 PM	4	McGill VFD		ROBERTSON
	220316-0956-ELYEMS	3/16/2022 8:52:46 AM	4	Ruth VFD		ROBERTSON
	220319-1842-ELYEMS	3/19/2022 5:57:48 PM	4	McGill VFD		STARK
	220318-0706-ELYEMS	3/18/2022 6:37:28 AM	4	McGill VFD		PENA
	220322-163928-ELYEMS	3/22/2022 4:55:00 AM	4	Ruth VFD		PENA
	220325-1109-ELYEMS	3/25/2022 10:16:19 AM	4	White Pine County Fire		ROBERTSON
	220322-2047-ELYEMS	3/22/2022 7:42:54 PM	4	McGill VFD		BATH
	220324-030526-ELYEMS	3/24/2022 2:28:59 PM	4	White Pine County Fire		PENA
	220307-1658-ELYEMS	3/7/2022 3:36:58 PM	4	Baker/ Snake Valley VFD		SIMPSON
	220303-1649-ELYEMS	3/3/2022 4:07:15 PM	4	Lackawanna		BATH
Mutual aid received						
	220330-2150-ELYEMS	3/30/2022 8:34:00 PM	1		McGill VFD	Pena

Aided Agency Name	Details
Baker/ Snake Valley VFD	1 Rows
Cherry Creek / Steptoe Valley VFD	1 Rows
Lackawanna	4 Rows

Lund VFD	2 Rows
McGill VFD	6 Rows
Ruth VFD	5 Rows
White Pine County Fire	4 Rows
	23 Rows

Alarm Date	Incident Number	Aid Given Or Received	Aiding Agency Name	Aided Agency Name
3/30/2022 8:34:00 PM	220330-2150-ELYEMS	Mutual aid received	McGill VFD	

Call Received Time 2022-03-01
between

and 2022-03-31

ALS v BLS Transports

Level of Service	
Advanced Life Support	50
Basic Life Support	25
Specialty Care Transport	35
Total 110	

Disposition Details

Disposition	
Patient Dead on Scene - No Resuscitation Attempted (Without Transport)	1
Patient Refused Evaluation/Care (Without Transport)	1
Patient Treated, Released (AMA)	6
Transported Lights/Siren	4
Transported No Lights/Siren	98
Total 110	

Pat Stork

From: Bodie Golla
Sent: Wednesday, April 6, 2022 3:02 PM
To: Pat Stork
Subject: Paramedic report March

Paramedic Report for March 2020

220303-1118-ELYEMS, cardiac arrest, intubation, amiodarone
220311-1504-ELYEMS, Syncope, 12-lead
220314-1819-ELYEMS, Abdominal Pain, Fentanyl x2
220315-1326-ELYEMS, weakness & back pain, 12-lead
220316-0001-ELYEMS, electrocution, 12-lead
220316-0936-ELYEMS, cardiac arrest, intubation
220320-0450-ELYEMS, Trauma multiple injuries, Fentanyl and Morphine
220315-1926-ELYEMS, weakness & back pain, 12-lead
220315-1910-ELYEMS, injury of shoulder, fentanyl x2
220314-1819-ELYEMS, abdominal pain, fentanyl x2

6 total Fentanyl usage for March

EB Basin Engineering

Consulting Engineers & Land Surveyors

CITY OF ELY
MURRY STREET SEWER MAIN UPGRADE PHASE-III
CDBG FUNDED PROJECT 21/PF/02
BID OPENING & REQUIRED DOCUMENTS CHECKLIST

April 11, 2022

BID ITEMS CHECK LIST	RECK BROTHERS
BID PROPOSAL	YES
BID BOND, CERTIFIED/CASHIER'S CHECK, CASH	YES
EXPERIENCE OF QUALIFICATIONS	YES
DESIGNATION OF SUBCONTRACTORS	YES
DESIGNATION OF SUBCONTRACTORS - 5% LIST	YES
DESIGNATION OF SUBCONTRACTORS - 1% LIST	YES
AFFIDAVIT OF NON-COLLUSION	YES
E.E.O. CERTIFICATION - BIDDER / CONTRACTOR	YES
E.E.O. CERTIFICATION - SUBCONTRACTOR	YES
LOBBYING ASSURANCE - BIDDER / CONTRACTOR	YES
LOBBYING ASSURANCE - SUBCONTRACTOR	YES
DEBARMENT / INELIGIBILITY - CONTRACTOR / SUBCONTRACTOR	YES
SECTION 3 CERTIFICATION - CONTRACTOR	YES
SECTION 3 CERTIFICATION - SUBCONTRACTOR	YES
SECTION 3 SAMPLE CONTRACTOR SECTION 3 PLAN	YES
SECTION 3 CONTRACTOR PERMANENT WORK FORCE FORM	YES
SECTION 3 ESTIMATED WORKFORCE BREAKDOWN	YES
ADDENDUM - 1	YES
ADDENDUM - 2	YES

BIDDING SCHEDULE			RECK BROTHERS	
	UNIT	AMOUNT	UNIT PRICE	BID AMOUNT
1 MOBILIZATION / DEMOBILIZATION	LS	1	\$ 12,750.00	\$ 12,750.00
2 8-INCH SEWER MAIN	LF	745	\$ 155.00	\$ 115,475.00
3 8-INCH SEWER CONNECTION	EA	2	\$ 2,800.00	\$ 5,600.00
4 4-INCH SEWER SERVICE	LF	300	\$ 148.50	\$ 44,550.00
5 LOCATE AND CONNECT SEWER SERVICE	EA	12	\$ 180.00	\$ 2,160.00
6 48-INCH SEWER MANHOLE	EA	2	\$ 8,250.00	\$ 16,500.00
7 4-INCH STORM DRAIN CONNECTION	EA	4	\$	\$
8 REMOVAL AND FILLING EXISTING MANHOLE	EA	2	\$ 3,200.00	\$ 6,400.00
9 FRENCH DRAIN SYSTEM	LF	690	\$ 32.00	\$ 22,080.00
10 34" WATER SERVICE	LF	200	\$ 185.00	\$ 37,000.00
11 34" METER BOX	EA	8	\$ 2,885.00	\$ 23,080.00
12 16-INCH VALVE	EA	3	\$ 29,000.00	\$ 87,000.00
13 FIRE HYDRANT	EA	1	\$ 8,450.00	\$ 8,450.00
14 REMOVAL OF EXISTING VALVE	EA	1	\$ 6,800.00	\$ 6,800.00
15 REPAIR DAMAGED UTILITY	EA	10	\$ 0.01	\$ 0.10
16 DRAIN ROCK FOUNDATION	LF	1,400	\$ 0.01	\$ 14.00
17 TRENCH BOTTOM STABILIZATION	LF	1,400	\$ 0.01	\$ 14.00
18 PIT RUN GRAVEL BACKFILL	LF	1,400	\$ 18.00	\$ 25,200.00
19 TYPE-II BASE	SF	250	\$ 4.00	\$ 1,000.00
OVERALL PROJECT BID PRICE				\$ 416,193.10

Bid Item No. 7 removed in Addendum #2.

Nevada Governor's Office of
ECONOMIC DEVELOPMENT

GRANT AGREEMENT

**Nevada Governor's Office of Economic Development (GOED)
Rural Community and Economic Development Division
808 West Nye Lane, Carson City, Nevada 89703**

1. PARTIES: This agreement is between the Nevada Governor's Office of Economic Development
Community Development Block Grant Program (CDBG); CFDA# 14.228 FAIN# B-21-DC-32-0001

CDBG Grant #: 21/PF/02 Eligible Activity: 105(a)(2) National Objective: LMI- Area Benefit
(Program)

Referred to as STATE, and the following GRANTEE:

	<u>City of Ely</u>		
	Name		
501 Mill St.	Ely	NV	89301
Address	City	State	Zip Code
88-6000192	3P9P2		
UGLG EIN Number	CCR (CAGE) Number		
Murry St	Ely	NV	89301
Project Address	City	State	Zip Code
Jennifer Lee, CDBG Administrator	775-289-2430	775-289-1463	
Contact Person (Name, Title)	Phone #	FAX #	
cityclerk@cityofelynv.gov			
Contact Person's Email			

2. GENERAL PURPOSE OF AGREEMENT:

The purpose of this proposed project is to complete the replacement of the 100 plus year-old vitrified clay sewer main pipeline from the Murry Canyon area of Ely. Phases I & II of this project will be completed in the spring of 2021. Murry Street is the main sewage collector pipeline and all other sewer mains in the Murry Canyon area tie into the Murry Street sewer main. This final phase of the three-phase project consists of the installation of an 8-inch PVC sewer main pipeline and 48-inch manholes along Murry Street from a midpoint between Fourth Avenue and Annand Street to Dickerson Avenue.

3. AGREEMENT PERIOD: Commencing on 7/1/2021 and terminating on 6/30/2023.

4. AGREEMENT COSTS: GRANTEE will be paid a maximum of \$261,787, pursuant to the budget attached hereto as Attachment E.

Funds by Year:

Year:	2021	\$ 50,179.18
Year:	2019	\$ 166,607.82

5. ATTACHMENTS:

- ☐ ATTACHMENT A – GENERAL PROVISIONS
- ☐ ATTACHMENT B – PROGRAM TERMS AND CONDITIONS
- ☐ ATTACHMENT C – SCOPE OF WORK
- ☐ ATTACHMENT D – IMPLEMENTATION SCHEDULE
- ☐ ATTACHMENT E – BUDGET
- ☐ ATTACHMENT F – FEDERAL ASSURANCES/CERTIFICATIONS

EXECUTION


IN ACCEPTING THESE FUNDS, IT IS UNDERSTOOD THAT:

1. This award is subject to the availability of appropriate funds.
2. Recipient of these funds agrees to the conditions of this Grant Agreement, including all Attachments which are hereby incorporated by reference.

IN WITNESS WHEREOF, the parties sign and cause this Grant Agreement to be effective as of the date indicated below.

GRANTEE

APPROVED: City of Ely

By: 
Signature of Elected Official

Nathan Robertson
Printed Name

Mayor
Title

STATE

APPROVED: GOED, RURAL COMMUNITY
AND ECONOMIC DEVELOPMENT
DIVISION

By: 
Patricia Herzog, Director

NV Governor's Office of Economic Development
808 W. Nye Lane, Carson City, NV 89703
pherzog@diversifynevada.com
(775) 687-9911

Execution Date: 7/1/2021

ATTACHMENT E – BUDGET

Final budget as agreed by the CDBG Advisory Committee in the format used in the CDBG Application Form.

Cost Category	CDBG	Local		State	Other Federal	Other	Totals
		Cash	In-Kind				
Mobilization/Demobilization	\$10,125.00	\$3,375.00					\$13,500.00
8" Sewer Main	\$57,750.00	\$19,250.00					\$77,000.00
6" Sewer Main & Connection	\$3,600.00	\$1,200.00					\$4,800.00
48" Sewer Manhole/Connect/4" Sewer Service	\$49,275.00	\$9,700.00					\$38,800.00
Removal Existing Manholes	\$7,500.00	\$2,500.00					\$10,000.00
3/4" or 1" Water Service & Meter Box	\$31,800.00	\$10,600.00					\$42,400.00
Repair Damaged Utility	\$3,000.00	\$1,000.00					\$4,000.00
Drain rock/Pit Run/Type-II/Asphalt Paving	\$68,512.00	\$22,838.00					\$91,350.00
Eng/Admin/Inspection	\$30,225.00	\$10,075.00					\$40,300.00
Total Costs	\$261,787.00	\$80,538.00	\$-	\$-	\$-	\$-	\$342,325.00

Raul Naranjo
PO Box 4271
West Wendover, NV 89883
Phone: 801-440-2790

INVOICE

Invoice #108
4/1/2022

TO: City of Ely For: Water and Wastewater Systems DRC
501 Mill St
Ely NV 89301

Description	Hours	Rate	Amount	Comments
Raul - DRC(Use of Certificates) March 2022_Ely	1	\$500.00	\$500.00	
3/3/2022 - Site Visit - Travel Milage (87337 - 87581)	244	\$0.56	\$136.64	
Laboratory - Positive Coliform sample, monthly sample at State Farm site was positive. We did resample as per EPA requirement. Second samples came back negative. We folowed all required procedures and also did an investigation of possible reasons for the positive results. We did not find an exact reason. Annual internal lab audit, items coved; safety, procedure, QC, regulations, SOPs and reporting.	9	\$50.00	\$450.00	
WWTP - Plant inspection, walk through. Found plant in disaray, crew needs to focus more on plant maintenance and upkeep.	2	\$50.00	\$100.00	4-12-2022 - Public Works Supervisor Cracraft met with crews at the WWTP and Water Department and discussed Water Operators concerns and formulated a plan to correct issues.

3/6/2026 - Site Visit - Travel Mileage (87989 - 88141)	243	\$0.56	\$136.08	
Laboratory - Finishing annual lab audit. We did analyst on-going demonstration of capabilities and initial demonstration of capabilities. The ODOC and the IDOC are to make certain that the analyst are running the tests correctly. Johnny was asked to be here so he could do his IDOC, but he did not show up. Annual thermometer calibration check, part of the Quality Assurance. Reviewed the Quality Assurance Manual and made upgrades. Chris was signed off for Coliform testing.	10	\$50.00	\$500.00	
3/26/2026 - Site Visit - Travel Mileage (71019 - 71263)	244	\$0.56	\$136.64	
WWTP- Plant still looks in disaray, nothing was cleaned or put away from the things that were pointed out on last visit.	2	\$50.00	\$100.00	4-12-2022 - Public Works Supervisor Cracraft met with crews at the WWTP and Water Department and discussed Water Operators concerns and formulated a plan to correct issues.
Water - Inspected well sites, 17th and M, and North St well motors look like they have an oil leak. We need to start planning a service on those motors.	2	\$50.00	\$100.00	
Laboratory - Monthly laboratory audit, part of the audit is to review report to make sure that they are done correctly. We could not find a report for a client. Analyst need to makes sure that they are following procedure to make sure that all lab paperwork is secure.	5	\$50.00	\$250.00	

Administration NDEP -Submitted Concrete tank inspection report. Laboratory - Prepare for annual internal audit. Water - Updated the Site Sample Plan. WWTP - Pricing and information on equipment for the treatment plant.	10	\$50.00	\$500.00	
	Total:		\$2,909.36	
Please make check payable to: Raul Naranjo				
Thank You For Your Business!				

Please make check payable to: Raul Naranjo

Thank You For Your Buiness!



WHITE PINE COUNTY SHERIFF'S OFFICE

1785 Great Basin Blvd. Ely, NV 89301

Phone: (775)289-8808

Fax: (775)289-1468

Sheriff Scott Henrich
Captain Jaime Swetich

STATISTICS FOR JANUARY 2022 – MARCH 2022

INCIDENTS – 2,320

TRAFFIC STOPS - 515

CITATIONS - 132

FELONY ARRESTS - 34

MISDEMEANOR ARRESTS - 45

NEW BOOKINGS - 102

TOTAL DAYS SERVED IN JAIL – 592

Numbers reflect enforcement and/or calls for service within the city limits of Ely

CITY OF ELY

NOTICE TO CONTRACTORS

The City Council of the City of Ely, Nevada, (herein called the "Owner"), will receive sealed bid proposals at the office of the City Clerk, 501 Mill Street, Ely, Nevada, until 3:00 P.M., on Monday, April 11, 2022, for furnishing all labor, materials, tools, implements and machinery to do and substantially complete in a manner satisfactory to the City Engineer, **Murry Street Sewer Main Upgrade Project Phase-III, PWP# WP-2022-162, CDBG Funded Project 21/PF/02**, together with such other incidental items as are necessary to complete the work in the manner and time prescribed and in strict conformity with the contract, special provisions, plans and specifications.

Proposals received after that time will not be accepted. The submitted bids will be opened at City Hall immediately after the published deadline for acceptance of said bids, with City staff and at least one (1) member of the City Council present. All interested parties are invited to be in attendance at the bid opening. The City Council will formally award the bid at their regular meeting at 5:00 P.M., P.D.S.T., on Thursday, April 14, 2022, or soon thereafter.

All bid proposals received shall be made on the blank bid proposal forms furnished by the City Engineer and shall be enclosed and sealed in an envelope which is addressed to the Office of the City Clerk, City of Ely, City Hall, at 501 Mill Street, Ely, Nevada 89301 and endorsed "Bid Proposal for **Murry Street Sewer Main Upgrade Project Phase-III, PWP# WP-2022-162, CDBG Funded Project 21/PF/02**".

Any bid not physically received by 3:00 P.M., P.D.S.T. on the date above specified shall not be considered. Bidders mailing bids assume the risk of late delivery. Any bid may be withdrawn prior to the above-scheduled time for the opening of bids or authorized postponement thereof. No bidder may withdraw a bid within thirty (30) days after the actual date of the opening thereof.

Copies of the plans and contract documents for this project may be obtained at the office of Basin Engineering, 1070 East Aultman Street, Ely Nevada 89301, upon payment of fifty dollars (\$50.00). **THIS PAYMENT IS NON-REFUNDABLE.**

Said proposal shall consist of the following: The removal of asphalt pavement and any incidental site materials. The placement and installation of the new sewer main, including manholes, sewer service tie-ins, connections to existing sewer manholes, connection to existing sewer mains, placement and installation of the French-drain system, placement and installation of the potable water service lines and meter pits including the required connections to the existing property potable water service lines, all required excavating, backfilling, compaction, removal and filling of existing manholes, and all other pertinent items as to complete the project as indicated on the design drawings. STEEL PIPE

Included in the project will be mobilization, public safety, continuous site cleanliness, project cleanup, including all necessary appurtenances and other incidental work to make the project complete as specified.

Contract Time

The contractor shall begin the construction no later than the date set forth in the "Notice to Proceed" and the work shall be prosecuted diligently so as to be **completed on or before July 29, 2022.**

Liquidated Damages

If the contractor refuses or fails to complete the work within the time specified, including authorized extensions, there shall be deducted from the moneys due the contractor, not as a penalty, but as liquidated damages, the sum of five hundred dollars (\$500.00) for each calendar day subsequent to the time specified and until the work is completed and accepted.

Bidding Requirements

Each bidder must supply all information required by this notice, the bid documents, and the specifications.

A certified check, cashier's check, cash deposit, or bid bond executed by a corporate surety licensed to do business in the State of Nevada, in an amount equal to at least FIVE PERCENT (5%) of the total amount of bid must accompany each proposal, payable to the City of Ely, as a guarantee that if awarded the contract, the bidder will execute the contract, furnish a performance and a payment bond, and present evidence of required liability insurance and being licensed within ten (10) days (not including Saturdays, Sundays, and Legal Holidays) after receipt of Notice of Award. Said Surety Company shall forthwith pay to the City of Ely the sum set forth in the bid bond if successful bidder fails to meet any of the above requirements.

The attention of bidders is directed to the State Contractor's License law requirement that a Contractor hold a valid license, at the time of bidding, of a class corresponding to the work to be done and that no bid will be accepted from a bidder to whom a proposal form has not been issued by the City Engineer.

The contractor shall procure all permits and licenses, pay all charges, fees and taxes, and give all notices necessary and incidental to the due and lawful prosecution of the work.

Each bidder shall complete and file with his bid the Bid Bond, Designation of Subcontractors and Experience Qualifications on the forms attached hereto, together with any other material required by these instructions to file a complete bid.

Subcontracts:

Any person, firm, corporation, or other party to whom it is proposed to award a subcontract under this Contract, must be acceptable to the Owner, and approved by the Owner prior to award of subcontract.

Telegraphic Modification:

No bid shall be modified by Telegraphic Modification at any time. All bids shall be complete at the time of the bid opening.

Qualifications of Bidder:

Any and all bids may be rejected by the City Council, if such Council determines that any bid is nonconforming, nonresponsive, unbalanced or conditional bids, unauthorized additions, or any bidder is not responsible or that the quality of the services, supplies, materials, equipment or labor proffered does not conform to the requirements or if the public interest would be served by such a rejection. For purposes of this paragraph, an "unbalanced bid" is one having nominal prices for some work items and enhanced prices for other work items.

The Council may reject any bid from or refuse to award a contract to any person, firm, or corporation that is in arrears or is in default to the City of Ely upon any debt or contract, or has failed to perform faithfully and satisfactorily any previous contract with the City of Ely or any other party.

If any person, firm, copartnership, corporation, association, or other organization, or any combination of any thereof, submits a bid to do any work within the State of Nevada for which a license is required by the Nevada Revised Statute without first having a valid license, the bid of such person, firm, copartnership, corporation, association or other organization shall be void pursuant to NRS.

The Owner may make such investigations as it deems necessary to determine the financial responsibility of the bidder and the ability of the bidder to perform the work, and the bidder shall immediately furnish to the Owner all such information and data for this purpose as the Owner may request. The Owner reserves the right to reject any bid if the evidence submitted, by, or investigation of, such bidder fails to satisfy the Owner that such bidder is properly qualified to carry out the obligations of the contract and to complete the work contemplated therein, and has the necessary capital, materials, labor and equipment to conduct the work to be contracted for, to the satisfaction of the City.

If a contract is awarded, the award may be made to the lowest responsive and responsible bidder. The lowest responsive and responsible bidder will be judged on the basis of price, performance to specifications, bidder's qualifications, and the best interest of the public, each of such factors being considered.

The low bid shall be considered to be that bid which has the lowest total cost on the bid items selected by the OWNER, based upon available funding, for inclusion in the final Agreement rather than the total cost of all bid items prior to the elimination of various deductible bid items.

All Bids will be checked for errors. If errors are made, unit prices shall govern and corrections will be made according to the unit price or lump sum amounts and totals will be revised to reflect the corrections.

Bid Security:

Each bid must be accompanied by cash, certified check of the bidder, or a bid bond prepared on the form of bid bond attached hereto, duly executed by the bidder as principal and having as surety thereon a corporate surety company authorized to do business in the State of Nevada and approved by the Owner, in the amount of 5% of the bid. Such cash, checks or bid bonds will be returned to all except the three lowest bidders within ten days after the opening of bids, and the remaining cash, checks, or bid bonds will be returned promptly after the Owner and the accepted bidder have executed the contract, or, if no award has been made within 30 days after the date of the opening of bids, upon demand of the bidder at any time thereafter, so long as bidder has not been notified of the acceptance of the submitted bid.

Liquidated Damages for Failure to Enter into Contract:

If a bidder withdraws the submitted bid other than as in these instructions provided, or if the successful bidder fails or refuses to execute and deliver the contract and bonds required within 10 days after the bidder has received notice of the acceptance of the bid, such bidder shall forfeit to the Owner, as liquidated damages for such withdrawal, failure or refusal, the security deposited with the bid.

Conditions of Work:

Each bidder must inform himself fully of the conditions relating to the construction of the project and the employment of labor thereon. Failure to do so will not relieve a successful bidder of his obligation to furnish all material services equipment and labor necessary to carry out the provisions of this Contract. Insofar as possible, the contractor, in carrying out the required work, must employ such methods or means as will not cause any interruption of or interference with the work of any other contractor.

Addenda and Interpretations:

No interpretation of the meaning of the plans, specifications or other pre-bid documents will be made to any bidder orally.

Every request for such interpretation should be in writing addressed to the Ely City Engineer at City Hall; 501 Mill Street, Ely, Nevada 89301, and to be given consideration must be received at least five days prior to the date fixed for the opening of bids. Any and all such interpretations and any supplemental instructions will be in the form of written addenda to the specifications which, if issued, will be mailed not later than three days prior to the date fixed for the opening of bids by certified mail with return receipt requested to all prospective bidders who have made request therefor and furnished their addresses. Failure of any bidder to receive any such addendum or interpretation shall not relieve such bidder from any obligation under his bid as submitted. All addenda so issued shall become part of the contract documents.

Naming of Equipment, Material, or Process

The naming of a manufacturer of equipment, material or process in this Specification is not intended to eliminate competition or prohibit qualified manufacturers from offering equipment, material or process. Rather the intent is to establish a standard of excellence for the material used, and to indicate a principle of operation desired. The Contractor's bid shall be based on the use of the specified equipment, material or process.

Contract Bonds

A. Performance Bond

The successful bidder shall file in the office of the City Clerk, at the time of execution of the Contract, a Performance Bond in an amount equal to one hundred (100) percent of the full amount of the Contract and made payable to the City on the form bound herein, as security for the faithful performance of the Contract for the construction of the work, and to cover all guarantees against defective workmanship or materials, or both, for a period of one year after the date of final acceptance of the work by the City of Ely. The Surety furnishing this bond shall have a sound financial standing, a record of service satisfactory to the City of Ely, and shall be authorized to do business in the State.

B. Payment Bond

The successful bidder shall file in the office of the City Clerk, at the time of execution of the Contract, a Payment Bond in an amount equal to one hundred (100) percent of the full amount of the Contract and made payable to the City on the form bound herein as security for the payment of all persons supplying labor and materials for the construction of the work. The Surety furnishing these bonds shall have a sound financial standing, a record of service satisfactory to the City of Ely, and shall be authorized to do business in the State.

Time of Completion

Time is of the essence in completion of the work to be performed under this Contract. **The work is to be completed on or before July 29, 2022.** Delays and extensions of time may be allowed in accordance with the provisions stated in the Contract.

If any work is done on weekends, holidays, or any other time that necessitates overtime being paid to City of Ely employees, the Contractor will be billed for the appropriate charges by the City and will be responsible for the payment of said charges to the City, CITY WORKING HOURS ARE: 8:00 A.M. to 5:00 P.M. Monday through Friday for survey; 8:00 A.M. to 5:00 P.M. Monday through Friday for regular office hours; and 8:00 A.M. to 5:00 P.M., Monday through Friday for inspection.

Power of Attorney

Attorneys-in-fact who sign bid bonds or contract bonds must file with each bond a certified copy of their current power of attorney.

Laws and Regulations:

All applicable Federal laws, State laws, building codes, municipal ordinances, and the rules and regulations of all authorities having jurisdiction over construction of the project shall apply to the contract throughout, and they will be deemed to be included in the contract the same as though herein written out in full.

The laws of the State of Nevada shall govern the validity, construction, performance and effect of the contract or lease, which the successful bidder shall execute. Jurisdiction and venue for any action related to the contract or lease shall be in the District Court of the Seventh Judicial District, White Pine County, Nevada.

Examination of Site, Contract Documents, Etc.:

At the time of the opening of bids, each bidder will be presumed to have inspected the site and to have read and to be thoroughly familiar with the plans and contract documents (including all addenda). The failure or omission of any bidder to examine the site or any form, instrument or document shall in no way relieve any bidder from any obligation in connection with his bid.

The bidder's attention is directed to the possible existence of obstructions and public and/or private improvements which may be within the limits of the work or adjacent thereto which may or may not be shown on the drawings.

The bidder shall investigate to his satisfaction as to the conditions to be encountered, as to the character, quality and quantities of work to be performed and materials to be furnished and as to the requirements of these drawings and specifications and the contract. Submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

Submission of Proposals

All proposals must be submitted at the time and place and in the manner prescribed in the Invitation to Bid. Proposals must be made on the proposal forms provided herein. Each proposal must be submitted in a sealed envelope, so marked as to indicate its contents without being opened, and addressed in conformance with the instruction in the Invitation to Bid.

Contract Drawings:

The contract drawings do not purport to show all the details of the work. They are intended to illustrate the character and extent of the performance desired under the contract; therefore, they may be supplemented or revised from time to time as the work

progresses, by the Engineer or (subject to approval by the Engineer) by the Contractor. Drawing revisions and/or additional drawings or sketches will be made and furnished to the Contractor if they are deemed necessary to adequately illustrate the work. All such supplementary and revised drawings, those which do not change the contract amount, automatically become a part of this contract.

Lump Sum Bid Breakdown:

Any time after the opening of bids, if requested by the Engineer, the Contractor shall submit a detailed price breakdown of any or all of his bid items for the work. Such price breakdown shall include quantities, unit prices and any other information required, in sufficient detail to enable the Engineer to properly evaluate the bids, and to enable the breakdown to be used by the Engineer in bid analysis for award purposes and for preparation of monthly payment estimates.

The Owner reserves the right to waive any informalities or minor technicalities in any bid or the submission thereof, or to reject any or all bids not prepared and submitted in accordance with these instructions and the other Contract Documents.

David R. Miller
Basin Engineering

BIDDERS LIST

CITY OF ELY
MURRY STREET SEWER MAIN UPGRADE PROJECT PHASE-III
CDBG FUNDED PROJECT 21/PF/02
PWP# WP-2022-162

Bid Opening: Monday April 11, 2022 at 3:00 P.M.

- | | |
|-----------------------------------|----------------------------------|
| 1. <u>City of Ely</u> | 5. <u>McFlanerty Plumbing</u> |
| | <u>& Heating</u> |
| | |
| | |
| | |
| 2. <u>Basin Engineering</u> | 6. <u>Nick Pearson - Pearson</u> |
| | <u>Construction</u> |
| | |
| | |
| | |
| 3. <u>Great Basin Engineering</u> | 7. _____ |
| <u>Contractors</u> | |
| | |
| | |
| | |
| 4. <u>Reck Brothers</u> | 8. _____ |
| | |
| | |
| | |
| | |

**BID PROPOSAL FOR CONSTRUCTION OF THE
MURRY STREET SEWER MAIN UPGRADE PROJECT
PHASE-III GDBG FUNDED PROJECT 21/PF/02
PWP# WP-2022-162**

11 APR 12 1PM

NEVADA NORTHERN RAILWAY
NATIONAL HISTORIC LANDMARK



Nevada Northern Railway Foundation

A Nevada 501 (c) 3 Non-Profit Corporation

Depot: 1100 Avenue A, Ely, Nevada 89301

Mailing Address: PO Box 150040, Ely, Nevada 89315

Voice: (775) 289-2085 • Web: www.nnry.com • E-mail: info@nnry.com

Monthly Operations Report for March 2022

1. Locomotive Status – No change
 - a. Locomotives in service: #81, #93, #105, #109, #204, Wrecking Crane A & Rotary B.
 - b. Locomotive 40 is out of service for her heavy repairs. We have started on her repairs, she will be out of service until 2023.
 - c. Locomotives out of service needing moderate repairs: #201, #310 and #620
 - d. Locomotive 801 is being brought back into service. It is a very rare Baldwin VO diesel locomotive that is one of only eight left in existence.
 - e. Locomotives waiting funding for restoration: Steptoe Valley Smelting and Mining #309, Kennecott 802 and Rotary Snowplow B (for boiler overhaul.)
 - f. Locomotives out of service needing heavy repairs #80 and the military locomotives.
3. Rolling Stock Status – No change
 - a. Passenger equipment in service: #07, #08, #09, Flatcar #23, Coach #5, Baggage Car/RPO #20, Outfit Car #06.
 - b. Passenger equipment out of service: #10, #2 and #05 needing heavy repairs.
 - c. Cabooses in service: #3, #6 and #22 are operational.
 - d. Cabooses out service: #5
4. Track Status – No change
 - a. Keystone Branch is open
 - b. Adverse Branch is open.
5. Ridership and Ticket Sales – Updated
 - a. In March we carried 285 passengers, this is a 28% increase over 2021.
 - b. Year to date, we have carried 698 passengers, this is a 10% increase over 2021.
 - c. Since operations began in 1987, we have carried 331,060 passengers.
6. Social Media: Our reach on social media continues to expand, in the last 28 days:
 - a. We reached 732,564 people.
 - b. Post engagement was 112904.
 - c. We have 115,791 page likes.
 - d. 156,391 people follow our page.

Award Winning Destination

Best Adrenalin Rush in Rural Nevada - 2020

Trip Advisor Certificate of Excellence – 2020, 2019, 2018, 2017, 2016, 2015, 2014

Best Museum in Rural Nevada – 2020, 2017, 2016, 2014, 2013, 2010, 2009, 2008

Best Place to Take the Kids in Rural Nevada - 2020, 2019, 2018, 2015, 2014, 2013, 2012, 2011, 2010, 2009, 2008, 2007

7. Locomotive 801 Restoration: Hidden away in the Nevada Northern Railway engine house is another rare locomotive waiting for her chance to run again. She is Locomotive 801, a VO-1000 diesel-electric switcher that was built by the Baldwin Locomotive Works in December 1942.

The VO-1000 was a popular Baldwin diesel locomotive, 548 locomotives were produced. Locomotive 801 was the 104th VO-1000 built. Today there are only eight surviving examples of the VO-1000. Our goal is to put Locomotive 801 back in service. When she was parked in 1983, she had been in service. We have mechanically gone through the locomotive.

Thanks to the financial support of our members, we had ordered the batteries. They arrived and the shop has installed them. Locomotive 801 need a lot of batteries – sixteen – 8-volt batteries! That's right she cranks on 128-volts!

We are in the process of going through the locomotive one final time. Once that's done, we are going to do test start up! We expect some hiccups, after all she is an 80 year-old locomotive that hasn't run in 39 years! Once the shop clears her for service, we will repaint her and add her to our Be The Engineer Program.



The first of sixteen batteries is being installed into Locomotive 81. There will be eight batteries per side. Each battery weighs 300 pounds.



U.S. Department of the Interior
Bureau of Land Management
Ely District Office

Bald Mountain Mine Juniper Project Environmental Impact Statement

Overview

The BLM Ely District, Bristlecone Field Office (BLM) is preparing an environmental impact statement (EIS) to consider and disclose the environmental effects resulting from a proposed amendment to the Bald Mountain Mine North Operations Area (NOA) mining plan of operations. The Bald Mountain Mine is an existing mine owned and operated by KG Mining (Bald Mountain) Inc. (KG-BM) (Figure 1). KG-BM's proposed plan amendment, referred to as the Juniper Project (Figure 2), includes:

1. Extension of the authorized NOA Plan boundary;
2. Expansion, elimination, and/or creation of mine areas and mine components;
3. New and realigned infrastructure (such as powerlines, buildings, fencing, and wells);
4. Reestablishment of the Top underground mine;
5. Extension of the authorized life of the mine by 11 years.

The EIS will also consider KG-BM's application to the U.S. Fish and Wildlife Service for an eagle take permit under the Bald and Golden Eagle Protection Action Act.


The BLM is seeking comments from the public on the Juniper Project to refine the scope of the EIS. The BLM will use the public comments to identify issues for analysis and potential project alternatives. **The scoping comment period is from March 31, 2022 to May 2, 2022. Your comments must be received by the closing date of the scoping comment period for full consideration.**

For More Information

Visit the project website:

<https://go.usa.gov/xAm2g>

Juniper EIS Process



How to Submit Comments

- **BLM website (preferred)**
<https://go.usa.gov/xAm2g>
- **Email**
blm_nv_eydo_juniper_eis@blm.gov
- **Mail**
BLM Bristlecone Office
Attn: BMM EIS Project
702 Industrial Way
Ely, NV 89301



U.S. Department of the Interior
Bureau of Land Management
Ely District Office

Bald Mountain Mine Juniper Project Environmental Impact Statement

Virtual Public Scoping Meetings

The health and safety of the public and our employees is our highest priority. The BLM is working within rapidly evolving guidance and state and local health authorities to minimize the risk of COVID-19 transmission while delivering our services to the greatest extent practicable. As such, we have developed a virtual public scoping meeting for the Juniper Project EIS via Zoom Webinar (no fee required).

Virtual Meeting Schedule

Dates: April 19 and 21, 2022

Time: 5:00 pm to 7:00 pm Pacific Daylight Time

Agenda:

- 5:00 to 5:10: Introduction
- 5:10 to 5:45: Presentation
- 5:45 to Close: Question and Answer Session

Pre-register for Zoom Webinar

1. Pre-register online via the following link: <https://www.eventbrite.com/e/bald-mountain-mine-juniper-project-virtual-public-scoping-meeting-tickets-310810812507>
2. After completing registration, you will receive an email prior to the event with instructions for joining the Zoom Webinar.



Bald Mountain Mine Juniper Project


Environmental Impact Statement





U.S. Department of the Interior
Bureau of Land Management
Ely District Office

Bald Mountain Mine Juniper Project Environmental Impact Statement



- North Operations Area Plan Boundary
- Proposed North Operations Area Plan Boundary Extension Areas
- Authorized Disturbance
- Proposed New Disturbance
- Concurrent Reclamation in Progress
- Planned Concurrent Reclamation





Figure 2. Proposed Action